



## RESEARCH ARTICLE

## COVID-19 PANDEMIC AWARENESS AND ITS IMPACT ON BANGLADESHI PEOPLE: A COMMUNITY BASED SURVEY

Md. Monirul Islam<sup>\*</sup>, Abu Zobayed, Md. Imran Nur Manik, Mohammad Asadujjaman

Department of Pharmacy, Faculty of Health Science, Northern University Bangladesh, Dhaka, Bangladesh.

### Article Info:



#### Article History:

Received: 2 October 2021  
 Reviewed: 11 November 2021  
 Accepted: 14 December 2021  
 Published: 15 January 2022

#### Cite this article:

Islam MM, Zobayed A, Manik MIN, Asadujjaman M. COVID-19 pandemic awareness and its impact on Bangladeshi people: A community based survey. Universal Journal of Pharmaceutical Research 2021; 6(6):50-53. <https://doi.org/10.22270/ujpr.v6i6.699>

#### \*Address for Correspondence:

Md. Monirul Islam, Department of Pharmacy, Faculty of Health Sciences, Northern University Bangladesh, Dhaka, Bangladesh. Tel-+8801845115162; E-mail: [monirul.islam@nub.ac.bd](mailto:monirul.islam@nub.ac.bd)

### Abstract

**Background:** The present study has been carried out to find out the people's perception about the COVID-19 pandemic and the effects of this pandemic on their daily lives.

**Methods:** A Google form was used to create an online survey questionnaire distributed via personal relationships and social media. Data were collected using questionnaires consisting of socio-demographic status of participants, COVID-19 concepts and changes in the participants' lifestyle. A total of 1088 respondents took part in the survey, and the results were evaluated using several statistical approaches. The results were presented in a variety of tables and graphs.

**Results:** Males made up 53.3% of the participants, while females made up 46.7% who were from villages (29.87%), cities (53.77%), and semi-urban areas (16.36%). Most participants reported that they got information about the COVID-19 pandemic from social media, and they cited 'fever' as an indicator of the sickness. Although the amount of physical interactions with friends and family has not dropped much, working conditions and employment status have significantly altered. The majority of the participants claimed they have no concerns about the COVID-19.

**Conclusion:** For up-to-date information regarding COVID-19, people in Bangladesh from all walks of life rely largely on social media. COVID-19 awareness isn't enough to inhibit the spreading of the virus from community to community. Employees' work schedules have also been drastically altered. To prevent transmission, we should all follow the safety rules strictly.

**Keywords:** awareness, Bangladesh, COVID-19, impact, knowledge.

## INTRODUCTION

Individuals' socio-economic status, job schedules, psychological behavior, and overall lifestyles have all changed substantially since the discovery of the novel corona virus disease caused by SARS-CoV-2. Bangladesh, a developing country in Southeast Asia, is also experiencing such changes in the daily lives of its citizens. The virus was originally discovered on March 8, 2020 in Bangladesh, when three COVID-19 positive patients were confirmed<sup>1</sup>. Following that, the Bangladeshi government took a number of steps to prevent the virus from spreading and give critical medical care to COVID-19 sufferers. As part of these preparations, all educational institutions were closed, numerous hospitals were prepared to isolate COVID-19 patients, all sorts of public meetings were outlawed, and various law enforcement agencies coordinated to stop the virus from spreading<sup>2</sup>.

According to a survey conducted on Bangladeshi people, the participants were mentally agitated and

worried about the COVID-19 spread in the country. Various factors that contributed to the worry, includes weak healthcare management systems, low test rates, insufficient healthcare facilities, and shaky planning and implementation by Bangladesh's Government<sup>3</sup>. According to another report, the country does not practice complete lockdown. As a result, people are commuting on the streets of Dhaka city of Bangladesh. According to the study, slum dwellers in the city have a tough time maintaining social distance because each 10-16 families share only one bathroom<sup>4</sup>. Bangladesh's healthcare system differs slightly from that of other countries throughout the world. In the same way that European countries run their hospitals, the hospitals in the United States are managed by a single umbrella. Government hospitals are rarely equipped with current equipment, and the system is disconnected. Although private hospitals provide exceptional care, they are only accessible to the wealthy. Most private hospitals remained closed because to a lack of Covid-19

prevention equipment<sup>5</sup>. The objectives of the study includes-

- Identifying the source of knowledge about the pandemic,
- Estimating changes in people's day-to-day lives including income status,
- Comparing family events caused by mental stress.

The study will help to recognize people's source of knowledge about the pandemic and the effects of it on their daily lives. By using the results effective measures may be implemented by policy-makers to make the situation easy.

## METHODS

A google form with the survey questions was made and disseminated to people from all walks of life via Facebook, WhatsApp and individual contacts. Health research based on Facebook surveys is becoming increasingly common, and various funding agencies support them<sup>6</sup>. The survey questions were chosen from the 'Covid-19 community response survey guidance'<sup>7</sup>, with some modifications to fit the country's circumstances. The questionnaire was divided into three sections: (a). demographic information, (b). participant perceptions of the COVID-19, and (c) changes in their overall life as a result of the pandemic. The participants' demographic data (age, sex, residential details, educational status, and employment position) were included in the section (a). section (b). reviewed the participants' basic understanding of COVID-19 and the source of their learned knowledge about the pandemic. The changes in people's lifestyles during the epidemic, social distancing, family crises as

a result of the pandemic, and changes in employment status (if any) were discussed in section (c). The Google form was open for answers from July 14, 2020 until July 21, 2020. The assumed confidence level and margin of error were 95% and 5%, respectively, thus the required sample size was 385<sup>8</sup>. During this time, however, 1088 persons from various occupations completed the survey and their answers were taped. Students, employees, business people, and other professions were among the attendees. The questions were written in very simple and easy-to-understand language for simplicity of comprehension. There was also a phone number for people who didn't understand any of the terms used in the survey form in the questionnaire. The survey's goal was clearly indicated in the questionnaire's description. The information provided by the participants would not be utilized for commercial reasons or transferred to a third party. During the survey, no sensitive and personal information was taken from the participants. The survey data was unprocessed, and it took extra investigation to make sense of it. MS Excel was used to run various statistical procedures (t-test, ANOVA test, etc.) on the data. Using the MS Excel program, many graphs and charts were created to depict numerical data better.

## RESULTS AND DISCUSSION

### Information on the population

Males made up 53.3% of the 1088 participants, while females were 46.7%. City, village, and semi-urban parts of the country were home to their residents. Figure 1 shows the actual number of participants in each age group.




Figure 1: The number of participants based on their age and gender.


However, it was obvious from the statistics that individuals from cities were better educated than those from other parts. Table 1 shows the educational qualifications of the participants in greater detail. To compare the situation, the participants' work status was documented before and after the epidemic.

Before the pandemic, 25.1% of the participants were jobless, 16.1% were employed full-time, 10.8% were worked part-time, 31.5% were students, 5.1% were part-time, and 11.3% were self-employed. The following graph helps understand the employment situation (Figure 2).

Table 1: Information about education and housing.

Residence	Post graduate	Graduate	HSC	SSC	High School	PSC	Total
Village	14	68	162	34	14	33	325
Semi-city	16	46	79	16	10	11	178
City	41	178	266	44	38	18	585
Total	71	292	507	94	62	62	1088

PSC- Primary School Certificate, SSC-Secondary School Certificate; HSC- Higher Secondary Certificate



**Figure 2: Number of participants according to their employment status.**

### Source of COVID-19 knowledge

Some questions asked throughout the poll were used to gauge people's perceptions about COVID-19. When asked how they acquire information on COVID-19, 11.76% of respondents answered they use only social media (Facebook, Twitter, Instagram, etc.) as a source of information. In other circumstances, users combine social media posts with information from many sources (television, newspaper, friends and relatives, and various websites). However, when asked about the symptoms of COVID-19 sickness, the most common

response was "fever". Fever is a prevalent symptom in the other responses as well. Table 4 summarizes the most prevalent responses to the disease's symptoms. A set of questions were used to assess the participants' understanding of the COVID-19 disease transmission pathway. According to 47.33% of the participants, the virus can be spread by close contact with an infected person, contact with surfaces touched by the patient, and using the infected person's clothing and other belongings. Table 2 depicts the overall outcome.

**Table 2: Participant's knowledge about COVID-19 spreading process.**

Process	Number of participant
Contact of surfaces which are touched by patient, using the cloths and other things of infected person.	28
Close contact with infected person, using the cloths and other things of infected person.	43
Using the cloths and other things of infected person.	59
Close contact with infected person, contact of surfaces which are touched by patient.	77
Contact of surfaces which are touched by patient.	118
Close contact with infected person.	248
Close contact with infected person, contact of surfaces which are touched by patient, using the cloths and other things of infected person.	515

### COVID-19's impact on people's lifestyles

Individuals in the COVID-19 countries have experienced changes in their daily lives due to the pandemic. Bangladesh is not exempt from these problems. Due to the lockout, many people cannot go out for their daily requirements. COVID-19 has a greater impact on men, who have died as a result of it, and who are at a higher risk<sup>9</sup>. Some countries adopt several measures to control the situation<sup>10</sup>. Several offices operate online, and their employees work from home. Many staff has been placed on leave as a result of the pandemic. Table 3 depicts the general situation of employees. Social gatherings with friends and relatives have also fallen significantly. The cause for this could be public awareness of the COVID-19 transmission or a government directive. No statistically significant decrease in social connections with friends and family ( $p=1$ ). As a result, people must exercise greater caution. Figure 3 has more information regarding this. Personal and familial data were collected from the individuals to assess psychological stress. Due to the pandemic condition, 64.79% of the


total participants reported that among their family members, there were no violent activities, whereas 23.71% stated that their family members were sometimes irritable with one another.

**Table 3: Change of employment status due to this pandemic.**

Working condition	Number of participants
No change	184
Office from own resident	432
Working the same hours but earning a lower salary	45
Going to work for a shorter period of time	127
Workplace suspension	81
Total	869

Regarding individual mental health, 53.5% of respondents said they are not bothered at all, whereas 25% said they are mildly stressed and have occasional worries. On the other hand, 21.5% said they are

moderate to severely stress and have frequent worries. As indicated by the facts mentioned above, the COVID-19 epidemic has significantly impacted on the socioeconomic and day-to-day life of Bangladesh's common people.



**Figure 3: Alteration in the frequency with which friends and family members meet before and after the epidemic.**

The reforms may have a significant impact on the country's social, cultural, and economic infrastructure. People should be more cautious when leaving their homes for this purpose. According to the WHO, a healthy and well-rounded society member should take proactive measures to prevent the disease from spreading further<sup>11</sup>. Although working conditions have improved significantly, many workers are still not receiving adequate compensation. According to an Italian study, health professionals are at a higher risk of contracting the disease because they are required to go out daily for their jobs<sup>12</sup>. This holds true Bangladeshis as comorbidities affect the disease badly<sup>13</sup>.

## CONCLUSIONS

According to the survey, most people use social media posts and videos to spread information about COVID-19 illness. As a result, the relevant authority should assess of the content posted on social media sites relating to the epidemic. Establishing certain standards for sharing content on social media is also crucial. Physical encounters with friends and relatives have remained quite consistent. The government should initiate measures to keep people at home and provide sufficient personal protection equipment for those who go out.

## ACKNOWLEDGEMENTS

The authors are grateful to everyone who took part in the survey.

## AUTHOR'S CONTRIBUTION

**Islam MM:** writing original draft, literature survey. **Zobayed A:** methodology, conceptualization. **Manik MIN:** critical review, supervision. **Asadujjaman M:** investigation, data interpretation. All authors read and approved the final manuscript for publication.

## DATA AVAILABILITY

The data and material are available from the corresponding author on reasonable request.

## CONFLICT OF INTEREST

None to declare.

## REFERENCES

1. Covid-19 pandemic situation in Bangladesh, IEDCR. Accessed 22 June 2021.
2. COVID-19 Situation Report No. #4, WHO, Bangladesh. Accessed 24 June 2021.
3. Shammi M, Bodrud-Doza M, Islam ARMT, Rahman MM. COVID-19 pandemic, socioeconomic crisis and human stress in resource-limited settings: A case from Bangladesh. *Heliyon* 2020; e04063.
4. Anwar S, Nasrullah M, Hosen MJ. COVID-19 and Bangladesh: challenges and how to address them. *Frontiers in public health* 2020; 8:154.
5. Islam MD, Siddika A. COVID-19 and Bangladesh: A study of the public perception on the measures taken by the Government 2020.
6. Yari F, Ayeni F, Adewunmi M, et al. Facebook as a Tool for health research: a systematic. *American J Health Res.* 2020; 8(2):6-10. <https://doi.org/10.11648/j.ajhr.20200802.11>
7. Covid-19 community response survey guidance. Accessed 14 May 2020.
8. Price JH, Daek JA, Murnan J, Dimmig J, Akpanudo S. Power analysis in survey research: Importance and use for health educators. *American J Health Edu* 2005; 36(4):202-209. <https://doi.org/10.1080/19325037.2005.10608185>
9. Jin JM, Bai P, He W, et al. Gender differences in patients with COVID-19: focus on severity and mortality. *Frontiers Public Health* 2020; 8:152.
10. Loyola BR. COVID-19 in Mexico: preparing for future pandemics. *Universal J Pharm Res* 2021; 6(3):46-49. <https://doi.org/10.22270/ujpr.v6i3.605>
11. WHO calls for urgent, aggressive actions to combat COVID-19, as cases soar in South-East Asia Region. Accessed 19 August 2020
12. Rimedio A. Vulnerable Population in Covid-19 Outbreak: A Look at Italy. *American J Health Res* 2020 Jun 18; 8(3):42. <https://doi.org/10.11648/j.ajhr.20200803.14>
13. Islam MM, Shahriar S, Koly FJ, et al. A cross-sectional pilot study on COVID-19 disease pattern, recovery status and effect of co-morbidities in Bangladesh. *African J Pharm Pharmacol* 2021; 15(5):84-91. <https://doi.org/10.5897/AJPP2021.5228>